



ACCESSORIES

**FOR PANEL INSTALLATION,
REPAIR AND PANEL CLEANING**

CONTENT

| | |
|------------------------|----|
| Tools | 04 |
| Accessories | 06 |
| Cleaning | 08 |
| Welding device | 10 |
| Belt sander/repair kit | 11 |

PICTURE CREDITS

> alkus AG or alkus AG / Jens Ellensohn, with the following exceptions:

S. 12

> iStock, PeskyMonkey, edited

ACCESSORIES

SYSTEMATIC SOLUTIONS

FOR A LONG SERVICE LIFE

alkus® is a system solution for all aspects of formwork. In addition to alkus® solid plastic panels, we also offer a wide range of accessories. This includes all tools, machines and consumables to professionally install, maintain and repair alkus® solid plastic panels. By using original alkus® accessories, you ensure the best working conditions and the maximum service life for your alkus® formwork panels right from the very start. The following accessories are kept in stock by us and can be delivered in the shortest possible time to optimally support your workflow processes.

















TOOLS

| Item number | Description | Unit | Symbolic image |
|-------------|---|------|---|
| 910 000 191 | alkus® paint stripper 230V | 1 |  |
| 910 001 010 | alkus® paint stripper 120V | 1 |  |
| 910 000 011 | Spare blades for alkus® paint stripper | 10 |  |
| 910 000 241 | alkus® battery drill machine without battery | 1 |  |
| 910 000 260 | Battery 2.0 Ah for alkus® battery drill machine | 1 |  |
| 910 000 282 | Battery 4.0 Ah for alkus® battery drill machine | 1 |  |
| 910 000 274 | Battery 5.5 Ah for alkus® battery drill machine | 1 |  |
| 910 000 259 | Charger for battery | 1 |  |
| 910 000 281 | Quick charger for battery | 1 |  |
| 910 000 265 | Charger for battery (USA) | 1 |  |
| 910 000 239 | alkus® cylinder head drill, diameter 35,5 mm | 1 |  |
| 910 000 244 | alkus® cylinder head drill, diameter 49,5 mm | 1 |  |
| 910 000 263 | Stopper for cylinder head drill 35,5 mm | 1 | |
| 910 000 267 | Stopper for cylinder head drill 49,5 mm | 1 | |
| 910 000 017 | Side cutting pliers | 1 | |

| Item number | Description | Unit | Symbolic image |
|-------------|--|------|---|
| 910 000 019 | Tool to remove rivets | 1 |  |
| 910 000 023 | Head for tool to remove rivets | 1 |  |
| 910 000 197 | alkus® scraper sanded into shape | 12 |  |
| 910 000 248 | alkus® scraper raw form | 12 |  |
| 910 000 242 | alkus® HM paint scraper | 1 |  |
| 910 000 243 | Replacement blade for HM paint scraper | 1 |  |
| 910 000 020 | alkus® alu-cone, diameter 20/22 mm, length 70 mm | 1 |  |
| 910 000 024 | alkus® AS-conical tube, diameter 24/29 mm, length 103 mm | 1 |  |
| 910 000 029 | Adjustable collar for countersink | 1 |  |
| 910 000 028 | Countersink for rivethole | 1 |  |
| 910 000 198 | Spiral drill bit, diameter 5.1 mm | 10 |  |
| 910 000 199 | Claw-hammer | 1 |  |
| 910 000 213 | Plastic-hammer 40 mm | 1 |  |
| 910 000 275 | Plastic-hammer 50 mm | 1 |  |
| 910 000 038 | Silicone squeezer suitable battery on page 4 | 1 |  |
| 910 000 207 | alkus® seal cone AL19_MX15 | 100 |  |
| 910 000 276 | alkus® steel insert MX | 1 |  |
| 910 000 277 | alkus® steel insert MXI | 1 |  |





ACCESSORIES

| Item number | Description | Unit | Symbolic image |
|-------------|--|------|---|
| 910 002 244 | alkus® repair plug 35,5 | 100 |  |
| 910 002 245 | alkus® repair plug 49,5 | 100 |  |
| 910 002 243 | alkus® repair patch 35,5 | 100 |  |
| 910 002 246 | alkus® repair patch 49,5 | 100 |  |
| 910 003 041 | alkus® welding wire PP, 4 mm, roll à 500 m | 1 |  |
| 910 033 041 | alkus® welding wire PP, 4 mm, roll à 500 m, green | 1 |  |
| 910 003 067 | alkus® holding welding wire roll | 1 |  |
| 910 000 214 | Steel rivet 5x20 for alkus® panels, 6 – 10 mm thickness | 1000 |  |
| 910 000 215 | Steel rivet 5x25 for alkus® panels, 11.5 – 17 mm thickness | 1000 |  |
| 910 000 216 | Steel rivet 5x33 for alkus® panels, 18 – 22 mm thickness | 1000 |  |










| Item number | Description | Unit | Symbolic image |
|-------------|--|------|---|
| 910 000 246 | Battery rivet gun without battery suitable battery on page 4 | 1 |  |
| 910 000 220 | Riveting tool, pneumatic-hydraulic Article available on request | 1 |  |
| 910 000 253 | Protective glasses | 1 |  |
| 910 000 092 | Protective gloves | 1 |  |

CLEANING






| Item number | Description | Unit | Symbolic image |
|-------------|--|------|---|
| 910 000 238 | alkus® cleaning device 230V / 50 Hz incl. 1 hose holder, 2 drive discs and 2 weights | 1 |  |
| 910 000 269 | Drive disc for alkus® cleaning device | 1 |  |
| 910 000 080 | Bayonet lock | 1 |  |
| 910 000 270 | Additional weight 14 kg for alkus® cleaning device | 1 |  |
| 910 000 003 | Cleaning pad for alkus® cleaning device | 5 |  |
| 910 000 004 | Abrasive cleaning grit 60, diameter 406 mm for alkus® cleaning device | 20 | |
| 910 000 100 | Abrasive cleaning grit 80, diameter 406 mm for alkus® cleaning device | 20 | |
| 910 000 101 | Abrasive cleaning grit 120, diameter 406 mm for alkus® cleaning device | 20 | |
| 910 000 103 | Abrasive cleaning grit 180, diameter 406 mm for alkus® cleaning device | 20 |  |
| 910 000 102 | Abrasive cleaning grit 220, diameter 406 mm for alkus® cleaning device | 20 | |
| 910 000 104 | Abrasive cleaning grit 320, diameter 406 mm for alkus® cleaning device | 20 | |

| Item number | Description | Unit | Symbolic image |
|-------------|---|------|---|
| 910 000 006 | alkus [®] concrete scraper 110/1300 for cleaning panels | 1 |  |
| 910 000 221 | Cylindrical grinding machine 230V | 1 |  |
| 910 000 113 | Sandpaper P80, for cylindrical grinding machine, diameter 225 mm | 25 | |
| 910 000 114 | Sandpaper P100, for cylindrical grinding machine, diameter 225 mm | 25 | |
| 910 000 115 | Sandpaper P120, for cylindrical grinding machine, diameter 225 mm | 25 |  |
| 910 000 121 | Sandpaper P150, for cylindrical grinding machine, diameter 225 mm | 25 | |
| 910 000 120 | Sandpaper P180, for cylindrical grinding machine, diameter 225 mm | 25 | |
| 910 000 247 | Abrasive grit K100, for cylindrical grinding machine, diameter 225 mm | 25 |  |









WELDING DEVICE

| Item number | Description | Unit | Symbolic image |
|-------------|---|------|---|
| 910 000 222 | alkus® welding device, 230V, 4mm PP | 1 |  |
| 910 001 014 | alkus® welding device, 120V, 4mm PP | 1 |  |
| 910 000 223 | alkus® welding device maxi 230V, 4 mm PP | 1 |  |
| 910 001 015 | alkus® welding device maxi 120V, 4 mm PP | 1 |  |
| 910 000 245 | alkus® welding device ECO 230V | 1 |  |
| 910 000 240 | alkus® welding device ECO 120V | 1 |  |
| 910 000 090 | alkus® suspension arrangement, for alkus® welding device | 1 |  |
| 910 000 068 | alkus® suspension arrangement, for alkus® welding device maxi | 1 |  |
| 910 000 089 | Fein balancer 3.5 – 6.5 kg, for alkus® welding device | 1 |  |
| 910 000 063 | Fein balancer 4.5 – 9.0 kg, for alkus® welding device maxi | 1 | |

BELT SANDER

| Item number | Description | Unit | Symbolic image |
|-------------|---|------|---|
| 910 000 224 | Belt sander universal 230V for scraper | 1 |  |
| 910 000 201 | alkus® block ALU for belt sander universal | 1 |  |
| 910 000 202 | alkus® holder for block ALU | 1 |  |
| 910 000 225 | Tissue sandpaper for belt sander universal K120, 762x75 | 1 |  |
| 910 000 249 | Universal belt sander set | 1 |  |

REPAIR KIT

| Item number | Description | Unit | Symbolic image |
|-------------|--|------|---|
| 910 002 001 | alkus® repair kit light 230V | 1 |  |
| 910 002 010 | alkus® repair kit light 230V - without battery drill machine | 1 |  |
| 910 001 016 | alkus® repair kit light 120V | 1 |  |
| 910 001 018 | alkus® repair kit light 120V - without battery drill machine | 1 |  |
| 910 002 011 | alkus® repair kit PRO 230V | 1 |  |
| 910 002 012 | alkus® repair kit PRO 230V - without battery drill machine | 1 |  |
| 910 002 013 | alkus® repair kit PRO 120V | 1 |  |
| 910 002 014 | alkus® repair kit PRO 120V - without battery drill machine | 1 |  |

alkus[®] | innovative systems

Sales & Marketing

alkus AG
Gewerbeweg 15
9490 Vaduz
Liechtenstein

Phone: +423 236 0030
E-Mail: mail@alkus.com

www.alkus.com

Sales & Marketing USA

alkus North America Inc.
62-64 Enter Lane
Islandia NY 11749
USA

Phone: +1 616 490 4174
E-Mail: mail@alkus.com

www.alkus.com

Research & Development

alkus GmbH & Co. KG
Kunststoffverbundsysteme
Im Auchttert 8
72186 Empfingen
Germany

Phone: +49 748 598 389910
E-Mail: mail@alkus.de

www.alkus.de